

100% Made in Spain



2. ECONOMICAL. Woodpeak prices offer authentic **REAL WOOD** at comparable quality laminate products.

EMISSIONS DANS L'AIR INTERIEUR

--	--	--	--

E1
HCHO

1. "GREEN" Woodpeak collection uses sustainable products. ECO Raw materials are optimised by using a thin top layer (0,6mm) of authentic wood species. In addition, we use water base stains and glues without any VOCs.

3. DURABILITY. Constructed on **HDF (High Density Fibreboard)** substructure using **SSI (Super Strong Impregnation)** system. This process offers a superior abrasion and impact resistance than typical wood flooring. During the pressing process the adhesive is pressed together into the wood until the saturation level is achieved. The wood fibers absorb the lacquers making contact with the adhesive and ultimately offers a superior hardened surface seal of Micro "**Corindon Particles**"

4. HYGIENIC. Antibacterial.

5. AUTHENTIC WOOD species make every Woodpeak floors truly unique: Lightly wire **brushed** finish highlights the natural essence of the wood fibers.

6. LOCKSTP. A truly unique interlocking system. The worldwide patent **LOCKSTP** perfectly bonds WPK products together without using adhesive.

7. STABILITY. Perfectly calibrated floorboards. All Woodpeak products use a finishing coat of varnish under the substructure for extra stability and added fire resistance.

FSC
www.fsc.org
FSC® C122157


The mark of responsible forestry

LOCKSTP
EXCELLENT GLUELESS SYSTEM
Glueless System Patent-protected worldwide

Make the best selection, choose

Woodpeak®
LIVING GREEN FLOORS

WpkChevron 580x145 Oak Antique Lava



TRENCADIS PREMIUM 16



3 different designs composed of 5 different portions of 0,6mm noble wood plus 9mm of HDF with different grain direction, all of them assembled on a 6mm plywood base. Then, for each design, two different variations, Horizontal and Vertical.

16mm nominal thickness


VERSAILLES PREMIUM 16

Palace design composed of the different portions of 0,6mm noble wood plus 9mm of HDF with different grain direction, all of them assembled on a 6mm plywood base.

16mm nominal thickness



PREMIUM16 STRUCTURE



FINISH. 12 coats of High Traffic varnish. Brushed open pore grain highlights the natural essence of the wood.

TOP LAYER. 0,6 mm NOBLE WOOD, micro-bevelled.

CORE. 9 mm HDF (High-Density Fibreboard, with density >900kg/m³)

SUBSTRUCTURE. Contra-balance 0,6 mm Wood veneer with a finishing coat of varnish for extra stability and fire resistance.


BASE. 6 mm 100% birch plywood.



SYSTEM



Glueless System
Patent-protected worldwide



LockSTP is an innovative glueless flooring system which provides a precision interlocking bond between formats every time.

LockSTP es un innovador sistema de colocación en seco. Gracias a sus anclajes y a la precisión de su mecanizado se garantiza una unión perfecta sin necesidad de cola.

LockSTP è l'innovativo sistema di posa flottante che con i suoi particolari giunti e precisi incastri assicura una perfetta resistenza e tenuta senza l'impiego di colla.

Lock STP est un système innovant d'assemblage sans colle. Grâce à ses crochets et à sa précision d'usinage un assemblage parfait sans collage est garanti.




Union rings for joint pieces.



Covering hooks, for glueless wall applications.


*1 UPON REQUEST, FORMATS ARE ALSO AVAILABLE WITH TRANSVERSAL GRAIN
 *2 HERRINGBONE ENGINEERING AVAILABLE UPON REQUEST
 *3 TAVOLE WPK, ENGINEERED WITH TRADITIONAL TONGUES & GROOVES SYSTEM FOR GLUE DOWN INSTALLATION. POSSIBILITY OF WPK LISTONE WITH LOCKSTP SYSTEM DEPENDING ON THE PROJECT



Wpk⁺

	*2
580x145 22,83"x5,71"	
	*2
870x145 34,25"x5,71"	
	*2
1160x145 45,67"x5,71"	
	*2
1160x195 45,67"x7,68"	
2320x145 91,34"x5,71"	
2320x195 91,34"x7,68"	

Tavole Wpk *3



Wpk Chevron



SQUAMA
290x290
11,42"x11,42"



MORISCO
290x290
11,42"x11,42"



SHURIKEN
290x290
11,42"x11,42"




DIAMOND
502x290
19,76"x11,42"



HEXAGON 290
290x251
11,42"x9,98"



HEXAGON 580
580x502
22,83"x19,76"



SPIKE
416x285
16,38"x11,22"



CHEVRON FIORE
502x205
19,76"x8,07"



MULTI-RIGATO
580x580
22,83"x22,83"



ARROW
725x145
28,54"x5,71"



TRAPEZIUM 580
580x145
22,83"x5,71"



TRAPEZIUM 870
870x145
34,25"x5,71"




TRIANGLE
580x580
22,83"x22,83"




SILHOUETTE
580x783
22,83"x30,83"




SPARK
502x290
19,76"x11,42"



BRAID
A / B
580x145
22,83"x5,71"
C
615x410
24,21"x16,14"



RHOMBUS
1160x290
45,67"x11,42"



TRENCADIS
1160x580
45,67"x22,83"

Wpk DESIGN

STANDARD 10 STRUCTURE




FINISH. 12 coats of High Traffic varnish. Brushed open pore grain highlights the natural essence of the wood.

TOP LAYER. 0,6 mm NOBLE WOOD, micro-bevelled.

CORE. 9 mm HDF (High-Density Fibreboard, with density >900kg/m³)

SUBSTRUCTURE. Contra-balance 0,6 mm Wood veneer with a finishing coat of varnish for extra stability and fire resistance.

FINISHES
EUROPEAN WHITE OAK (100% Wood Veneer, Oak)¹

DELUX OAK (100% Wood Veneer, Oak)¹
TINTE UNITE OAK (100% Wood Veneer, Oak)¹

AMERICAN WALNUT (100% Wood Veneer, American Walnut)
EXOTIC¹


¹Additional colors, species, herringbone and formats with transversal grain are also available upon request (Minimum order of 200 sqm per color). ²Color & tone may vary from plank to plank due to reactive stain and/or treated veneer. ³Lacquered colors, then it will be resistant to moderate traffic, instead of high traffic. ⁴Wood is a natural product and contains variations in grain, mineral streaks and knots that may not be represented by these images. Lighting, camera settings and printer configurations may also affect the colors represented in these photos. Please review samples and consult a sales specialist before placing orders.



LIVING GREEN FLOORS

Townfield Flooring S.L.

Central Offices & Factory Plant.

C/ Olocau del Rei 3D (transversal CV-20. km 2,5)

Apdo. correos / P.O. Box 211.

12540 Vila-real / Castellón / Spain

Tel. (34) 964 785 121

info@stp-woodflooring.com

www.stp-woodflooring.com/woodpeak

Eurolegno Distribution inc.

US and Canada distribution

5333 Ferrier

Montreal, Quebec

Canada, H4P 1M1

Tel: # 001 - 514 - 863 - 9416

info@eurolegnoluxuryfloors.com