



Woodpeak[®]
LIVING GREEN FLOORS


100% Made in Spain

2. **ECONOMICAL.** Woodpeak prices offer authentic **REAL WOOD** at comparable quality laminate products.



1. **"GREEN"** Woodpeak collection uses sustainable products. ECO Raw materials are optimised by using a thin top layer (0,6mm) of authentic wood species. In addition, we use water base stains and glues without any VOCs.

3. **DURABILITY.** Constructed on **HDF** (High Density Fibreboard) substructure using **SSI** (Super Strong Impregnation) system. This process offers a superior abrasion and impact resistance than typical wood flooring. During the pressing process the adhesive is pressed together into the wood until the saturation level is achieved. The wood fibers absorb the lacquers making contact with the adhesive and ultimately offers a superior hardened surface seal of Micro **"Corindon Particles"**



4. **HYGIENIC.** Antibacterial.

5. **AUTHENTIC WOOD** species make every Woodpeak floors truly unique: Lightly wire **brushed** finish highlights the natural essence of the wood fibers.

7. **STABILITY.** Perfectly calibrated floorboards. All Woodpeak products use a finishing coat of varnish under the substructure for extra stability and added fire resistance.


6. **LOCKSTP.** A truly unique interlocking system. The worldwide patent LOCKSTP perfectly bonds WPK products together without using adhesive.

LOCKSTP[®]
EXCELLENT GLUELESS SYSTEM
Glueless System Patent-protected worldwide



Make the best selection, choose

Woodpeak[®]
LIVING GREEN FLOORS




TRECADIS PREMIUM 16


3 different designs composed of 5 different portions of 0,6mm noble wood plus 9mm of HDF with different grain direction, all of them assembled on a 6mm plywood base. Then, for each design, two different variations, Horizontal and Vertical. 16mm nominal thickness

VERSAILLES PREMIUM 16

Palace design composed of the different portions of 0,6mm noble wood plus 9mm of HDF with different grain direction, all of them assembled on a 6mm plywood base. 16mm nominal thickness



PREMIUM16 STRUCTURE



FINISH. 12 coats of High Traffic varnish. Brushed open pore grain highlights the natural essence of the wood.

TOP LAYER. 0,6 mm NOBLE WOOD, micro-bevelled.

CORE. 9 mm HDF (High-Density Fibreboard, with density >900kg/m³)

SUBSTRUCTURE. Contra-balance 0,6 mm Wood veneer with a finishing coat of varnish for extra stability and fire resistance.


BASE. 6 mm 100% birch plywood.



SYSTEM

LOCKSTP[®]
EXCELLENT GLUELESS SYSTEM

Glueless System
Patent-protected worldwide



LockSTP is an innovative glueless flooring system which provides a precision interlocking bond between formats every time.

LockSTP es un innovador sistema de colocación en seco. Gracias a sus anclajes y a la precisión de su mecanizado se garantiza una unión perfecta sin necesidad de cola.

LockSTP è l'innovativo sistema di posa flottante che con i suoi particolari giunti e precisi incastri assicura una perfetta resistenza e tenuta senza l'impiego di colla.

Lock STP est un système innovant d'assemblage sans colle. Grâce à ses crochets et à sa précision d'usinage un assemblage parfait sans collage est garanti.









Union rings for joint pieces.







Covering hooks, for glueless wall applications.

- *1 UPON REQUEST, FORMATS ARE ALSO AVAILABLE WITH TRANSVERSAL GRAIN
- *2 HERRINGBONE ENGINEERING AVAILABLE UPON REQUEST
- *3 TAVOLE WPK, ENGINEERED WITH TRADITIONAL TONGUES & GROOVES SYSTEM FOR GLUE DOWN INSTALLATION. POSSIBILITY OF WPK LISTONE WITH LOCKSTP SYSTEM DEPENDING ON THE PROJECT






Wpk+







					
290x290 11,42"x11,42"	580x290 22,83"x11,42"	580x580 22,83"x22,83"	870x290 34,25"x11,42"	1160x290 45,67"x11,42"	1160x580 45,67"x22,83"

Tavole Wpk *3

					
580x145 22,83"x5,71"	870x145 34,25"x5,71"	1160x145 45,67"x5,71"	1160x195 45,67"x7,68"	2320x145 91,34"x5,71"	2320x195 91,34"x7,68"

Wpk Chevron








	
870x205 34,25"x8,07"	870x145 34,25"x5,71"
	
580x205 22,83"x8,07"	580x145 22,83"x5,71"
	
410x145 16,14"x5,71"	

					
SQUAMA 290x290 11,42"x11,42"	MORISCO 290x290 11,42"x11,42"	SHURIKEN 290x290 11,42"x11,42"	DIAMOND 502x290 19,76"x11,42"	HEXAGON 290 290x251 11,42"x9,88"	HEXAGON 580 580x502 22,83"x19,76"

MULTI-RIGATO



580x580
22,83"x22,83"

						
TRAPEZIUM 580 580x145 22,83"x5,71"	TRAPEZIUM 870 870x145 34,25"x5,71"	TRIANGLE 580x580 22,83"x22,83"	SILHOUETTE 580x783 22,83"x30,83"	BRAID A/B/C 580x145 615x410 22,83"x5,71" 24,21"x16,14"	RHOMBUS 1160x290 45,67"x11,42"	TRENCADIS 1160x580 45,67"x22,83"

Wpk DESIGN

STANDARD 10 STRUCTURE



- FINISH. 12 coats of High Traffic varnish. Brushed open pore grain highlights the natural essence of the wood.
- TOP LAYER. 0,6 mm NOBLE WOOD, micro-bevelled.
- CORE. 9 mm HDF (High-Density Fibreboard, with density >900kg/m³)
- SUBSTRUCTURE. Contra-balance 0,6 mm Wood veneer with a finishing coat of varnish for extra stability and fire resistance.

100% Made in Spain

FINISHES

EUROPEAN WHITE OAK (100% Wood Veneer, Oak) ¹



OAK ANTICATO



OAK ANTIQUE LAVA²



OAK ASH



OAK BORGHETTO



OAK BOTANIC



OAK BRUNELLO



OAK BRUNELLO DARK



OAK COGNAC



OAK EMERALD



OAK LIMESTONE



OAK MAKE UP WHITE



OAK MOON GREY



OAK MOON LIGHT



OAK NATURAL



OAK NATURALIZZATO



OAK NATURE



OAK OLIVE²



OAK QUERCIA ANTICA



OAK SBIANCATO



OAK SMOKED



OAK SMOKED RED



OAK PIAZZA DEI SIGNORI



OAK TRAVERTINO

DELUX OAK (100% Wood Veneer, Oak) ¹

KNOTS



OAK AGED²/
AGED SBIANCATO²

METALLIZZATI



OAK LAVA DARK³

THERMO°



OAK MOCCA²

TINTE UNITE OAK (100% Wood Veneer, Oak) ¹



OAK CHERRY³



OAK EXTRA WHITE³



OAK GRIGIO CEMENTO³/
GRIGIO PERLA



OAK INDIGO/MENTHA³



OAK TORTORA³/
TURQUOISE³

AMERICAN WALNUT (100% Wood Veneer, American Walnut)



A. WALNUT ASH



A. WALNUT HONEY



A. WALNUT LIGHT



A. WALNUT NATURAL



A. WALNUT SBIANCATO



EXOTIC IROKO



EXOTIC TEAK/WENGE

EXOTIC ¹

¹Additional colors, species, herringbone and formats with transversal grain are also available upon request (Minimum order of 200 sqm per color). ²Color & tone may vary from plank to plank due to reactive stain and/or treated veneer. ³Lacquered colors, then it will be resistant to moderate traffic, instead of high traffic. ⁴Wood is a natural product and contains variations in grain, mineral streaks and knots that may not be represented by these images. Lighting, camera settings and printer configurations may also affect the colors represented in these photos. Please review samples and consult a sales specialist before placing orders.

100% Made in Spain



LIVING GREEN FLOORS

Townfield Flooring S.L.

Central Offices & Factory Plant.

C/ Olocau del Rei 3D (transversal CV-20. km 2,5)

Apdo. correos / P.O. Box 211.

12540 Vila-real / Castellón / Spain

Tel. (34) 964 785 121

info@stp-woodflooring.com

www.stp-woodflooring.com/woodpeak

Eurolegno Distribution inc.

US and Canada distribution

5333 Ferrier

Montreal, Quebec

Canada, H4P 1M1

Tel: # 001 - 514 - 863 - 9416

info@eurolegnoluxuryfloors.com

LOCKSTP®
EXCELLENT GLUELESS SYSTEM
Glueless System Patent-protected worldwide